

Creating QuickSets

The QuickSets functionality creates personal ordering sets based on orders which have been linked to problems in your normal ordering process. Quicksets presents to you a list of relevant orderables list based on problems allowing you to quickly place your orders.

- From the New Order or New Rx tab select a problem to associate with the orders you plan to place.

Problem	Cost
<input type="checkbox"/> Chronic Reflux Esophagitis	530.11
<input checked="" type="checkbox"/> Hypertension	401.9
<input type="checkbox"/> Type II Diabetes Mellitus	250.00

- Place a new order (medication or non-medication) as you normally would using your Favorites or the Search Master. Your selections will be saved automatically in QuickSets per problem.
- On a subsequent patient go to the QuickSets tab.
- Select a Problem
 - The orders you had placed previously is now linked to the problem and will be listed

QuickSets [Personalize](#)

Problems Active All

- Chronic Reflux Esophagitis 530.11
- Hyperlipidemia 272.4
- Hypertension 401.9
- Type II Diabetes Mellitus 250.00

[New Problem](#)
[Details...](#)
[Resolve](#)
[Assess](#)

QuickSet Items	Selected Items: 2
<input type="checkbox"/> CBC W/O DIFF	
<input checked="" type="checkbox"/> GLUCOSE	
<input checked="" type="checkbox"/> HEMOGLOBIN A1C	
<input type="checkbox"/> PROTHROMBIN TIME (PT)	

[Order Details...](#) [Remove](#) [Save as Default](#) [Uncheck All](#)

Confirm Rx Action: Order Action:
 Post Text to Current Note

[Save](#) [Cancel](#)

- Select the orders you want to place for this problem.
 - Click on [Save as Default](#) if you want these orderable ALWAYS pre-selected.
- Click the [Save](#) button.

Creating QuickSets

7. An order confirmation window will open

Confirm Orders For: 13 Jul 2009 AUDIT

HEMOGLOBIN A1C	To be done: 13 Jul 2009; Routine; DLS; Status: Ordered; Fin Auth: Not Needed Linked problems: Type II Diabetes Mellitus 250.00
Print Req	
GLUCOSE	To be done: 13 Jul 2009; Routine; DLS; Status: Ordered; Fin Auth: Not Needed Linked problems: Type II Diabetes Mellitus 250.00
Print Req	

Active Medications

Adverse Reactions
No Known Allergies

Requisitions (if applicable)
 Labels (if applicable)

OK Cancel

Confirm Rx For: 13 Jul 2009 AUDIT

Caduet 5-10 MG Tablet	TAKE 1 TABLET DAILY. DS:30 QTY:30 R:0 Hyperlipidemia 272.4	Record
-----------------------	--	--------

Active Medications
Caduet 5-10 MG Tablet


Adverse Reactions
No Known Allergies

Retail: [Select Pharmacy](#)
Mail: [Select Pharmacy](#)

Action: Record

Use Default Printer Make This My Default Action

OK Cancel

8. Confirm that the order and Rx details are correct.
- Click on [Select Pharmacy](#) next to Retail: or Mail: to send eScript to pharmacy
9. Click the  button.

Creating QuickSets

10. If another problem exists, click on the 2nd problem to be presented a list of orders linked to that problem

The screenshot shows the 'QuickSets' interface. At the top, there is a 'Problems' section with radio buttons for 'Active' (selected) and 'All'. Below this is a list of problems: 'Chronic Reflux Esophagitis 530.11', 'Hyperlipidemia 272.4', 'Hypertension 401.9', and 'Type II Diabetes Mellitus 250.00'. The 'Hyperlipidemia 272.4' problem is selected. To the right of the problem list are buttons for 'New Problem', 'Details...', 'Resolve', and 'Assess'. Below the problem list is a 'QuickSet Items' section with a 'Selected Items: 3' indicator. The items listed are: 'Caduet 5-10 MG Tablet TAKE 1 TABLET DAILY; DS:30 QTY:30 R:0', 'CARDIAC RISK/LIPID PROFILE', and 'HEPATIC FUNCTION PROFILE'. Below the items list are buttons for 'Order Details...', 'Remove', 'Save as Default', and 'Uncheck All'. At the bottom, there are checkboxes for 'Confirm' (checked) and 'Post Text to Current Note' (unchecked). The 'Rx Action' is set to 'Record' and the 'Order Action' is set to 'Print Both'. 'Save' and 'Cancel' buttons are at the bottom right.

11. Repeat steps 5 thru 9.

12. Go to Orders and Meds tab to confirm that orders have been placed properly and saved to the patients record.